

ARIMIY



WARNING ...

- FOR AGE 18 OR ABOVE.
- PLEASE READ THE INSTRUCTIONS CAREFULLY BEFORE USE.
 MISUSE OR CARELESS USE MAY CAUSE SERIOUS INJURY.
- USER SHOULD OBEY TO THE LAWS REGARDING THE USAGE AND OWNERSHIP OF AIRSOFT GAS BLOWBACK PISTOL.
- FACIAL PROTECTION IS REQUIRED.



CA033M

Produced By Classic Army, Hong Kong






2 Specification

Data of Gas Blowback Pistol			
Name	CA 26		
Weight		0.6kg	
Barrel Length	73mm		
Barrel Caliber	6.08mm		
Pellet Capacity	15+1		
Pellet	6mm BB		




3 Operation

Gas Injection




To refill the gas with the gas container in vertical position.






Be careful! The releasing gas is harmful to your eyes and face. Avoid facing the magazine directly when you try to release the gas by pressing the release valve.






High precision BB pellets is required for the operation of this magazine. Avoid invasion by dust and dirt into the magazine to prevent malfunctions.

Load BB pellet in the magazine, 6 mm (15 rounds only). Please follow the illustration diagrams to load the BB pellets.





CAUTION Never use any used BB pellets




n BB Please don't use the BB pellet which is not completed.




Please don't use the broken BB pellet.




Please don't use the BB pellet which diameter is exceeded 6 mm.







Do not compress and release the magazine spring without BB pellet is loaded. It may be damage the magazine.



6 Loading & Releasing The Magazine

from the stock.









Attention: use hand to receive the magazine to prevent it from falling down to the ground.





1. Pull the slide backward to a specific position.



Safety Operation




Pistol can only work when the safety switch stays at "OFF" position. Do not operate the trigger when the safety switch is at "ON" position. Otherwise, the pistol may be damaged.



Do not hand your finger on the trigger if you are not shooting.



6 Shooting




After a long and continued firing practice, the low temperature of the magazine will cause a reduced gas pressure as well as the low velocity of pellet. It is a normal condition and not a trouble.

26 AUSTRIA 9x19

when the slide is pulled back and released forward. The BB pellet is loaded in the firing chamber, press the trigger to fire the loaded BB pellet.

Never practice the reverse firing because which action causes the gas can not evaporate and the vaporized gas easy to damage the parts.



26 AUSTRIA


After the last BB pellet is fired, the slide will be retained in the back position, it means an empty magazine condition. If you want to resume the firing, insert a new fully loaded magazine; press the slide lock to release the slide and to reload the BB pellet.







6 Application of HOP UP


1. The adjustable HOP UP system can make the trajectory of BB pellets slightly adjustable, and compared with the launcher which makes pellets moving at a parabola trajectory, it can aim at a farther target and shoot the pellets for a long range. Unlike the fixed one, the HOP UP turntable and HOP UP Pole can be adjusted slightly by a light touch. It is a wonderful HOP UP system.




- 2. Adjust the HOP UP in 1~5 sequence.
 - Turn the HOP UP turntable slowly towards the "UP" direction till the BB pellets can be shot horizontally.
 - Too tightness will cause a poor shooting, so, complete the adjustment till the trajectory is horizontal.
 - Forceful turn of the HOP UP turntable to a certain degree may cause damage.









- 4 How to disassembly the pistol for basic maintenance
 - 1. Detach the magazine first.





Press the slide release button and push forward the slide



- 3. Then, remove the whole slide apart from the frame.
- 4. Press the recoil spring rod forward and remove it from the slide.












- How to assembly after the basic maintenance.
 - 1. Install the inner barrel system into the slide.
- 2. Install the recoil spring rod back into the slide.



- 3. Then, insert the whole slide by aligning to the groove shown below
- 4. Attach the magazine.










6 NWARNING



















In no event shall Classic Army or any of our partners be liable for any direct or indirect, special, incidental, or consequential damages in connection with the use of our products.





For complete product information, dealer locations and technical support, please visit the website of Classic Army Sole Distributors.

Italy, San Marino Republic, Città del Vaticano, Spain (includes Andorra and Gibraltar) Portugal and Switzerland

Co. Name: Evolution International S.r.I

Add.: Via dell' Annunciata n.31, 20121 Milan, Italy

Tel: (39) 02 25459027 Fax: (39) 02 25118356

Email: info@evolution-airsoft.com Website: www.evolution-airsoft.com

Denmark, Sweden, Norway & Finland, France, Germany, Austria, United Kingdom, Poland, Baltic countries, Belgium, Luxembourg, the Czech Republic and Slovakia

Co. Name: ActionSportGames A/S

Add.:Bakkegaardsvej 304, DK-3050 Humlebaek, Denmark

Tel: (45) 89 28 18 88 Fax: (45) 49 19 31 60

Email: sales@actionsportgames.com Website:http://www.actionsportgames.com/

The United States of America

Co. Name: Spartan Imports, Inc.

Add.:213 Lawrence Avenue, S.San Francisco, California, USA 94080

Tel: (1) 650 589 5501 Fax: (1) 650 589 5552

Email: info@spartanimports.com Website:http://www.spartanimports.com/

Taiwan

Co. Name: F-Link Int'l Enterprise Co. Ltd.

Add.:3 Lane 62, Jianguo 1st Rd., Lingya District, Kaohsiung City 802, Taiwan, R.O.C.

Tel: (886) 7-710 0198 Fax: (886) 7-710 0398

Email: kssa.kssa@msa.hinet.net Website:http://www.soloman.com.tw/

Thailand

Co. Name: Voxtech Co., Ltd

Add.: 92 Kaset - Nawamintra Rd. Soi Ladplacow 39 Jorakebua Ladphrao Bangkok

Tel: +662 9402629 (auto 4 lines) / +668 1 8692117

Fax: +662 9402679

Email: polaris_adventure@yahoo.com Website: http://www.classicarmy-thailand.com

Japan

Co. Name: Union Fire Company (UFC)

Add.: 542-0067, 6-10-101 , MATSUYAMACHI, CHUO-KU, OSAKA, JAPAN

Tel: +81-6-4304-7750 Fax: +81-6-4304-7799

Email: ufctrading@ufc-web.com Website: http://www.ufc-web.com/

P.10



